

Hyper Clear Pro

Hyper Clear Pro

Hyper Clear Pro is a high-performance water-based glass cleaner with an alcohol content, designed for glass, mirrors and plastic surfaces as well as all non-porous substrates. Its light blue, crystal-clear formulation ensures comfortable and efficient application.

The cleaner quickly and reliably removes fingerprints, grease, oil, nicotine, dirt build-up and everyday contaminants. Even stubborn residues are effectively dissolved without attacking the surface.

Hyper Clear Pro delivers streak-free, brilliant results on glossy surfaces and leaves no residue behind. No post-polishing is required after application.

Ideal for spray-and-wipe surface cleaning. When used in combination with high-quality microfibre cloths, cleaning performance is further enhanced.

Industrial applications

Hyper Clear Pro is specifically designed for cleaning ceramic frit borders on automotive glass and is also ideally suited for glass, mirrors and virtually all non-porous and water-resistant surfaces.

Its powerful alcohol-based formulation ensures reliable removal of contaminants and supports optimal surface preparation, for example prior to the application of activators or primers. The cleaned surface must be completely dry before proceeding with the next processing step.

Application and processing recommendations

For optimal cleaning and surface preparation, apply Hyper Clear Pro directly to the desired area and wipe off with a clean, dry, lint-free cloth. When used in combination with suitable microfibre cloths, the product delivers a brilliant dry-shine finish while ensuring reliable cleanliness.

Before use on sensitive surfaces such as plastics or painted finishes, a compatibility test on a small, inconspicuous area is recommended. Where required, additional pre-treatment steps may be necessary prior to the application of adhesives or sealants to ensure best results.

Publisher PMA/TOOLS GmbH	Version 1	Date 27.02.2026	Page 1/3
------------------------------------	---------------------	---------------------------	--------------------

Hyper Clear Pro

Technical data

Product properties (for detailed information please refer to the safety data sheet)

Chemischal Basis	Isopropanol in aqueous solution
Colour	Light blue, clear
Application	Spray and wipe
Shelf life	60 months

Packaging units

Hyper Clear Pro, Glass and plastic cleaner, Mixed, 10 litres, Art. No. 13401309

Hyper Clear Pro, Glass and plastic cleaner, concentrate 1 :4, 2 litres, Art. No. 13401310

Storage and shelf life

To ensure consistent product quality, store in a dry environment and protect from direct sunlight.
Recommended storage temperature: between 5 and 25 °C.

Hazard Indications/ Safety Recommendations/Transport Regulations: see Safety Data Sheet

Hyper Clear Pro

This technical data sheet supersedes all previous editions.

Disclaimer

Note:

The above information, in particular the suggestions for processing and use of our products, is based on our knowledge and experience in standard cases. To ensure that the above information in the technical data sheets can be complied with and the respective product used or processed properly, the products need to be stored correctly. In addition, the above information reflects our state of knowledge at the time of printing this note. We are constantly striving to improve our products, and as such reserve the right to make changes to product specifications and processing instructions. The most current technical data sheet at the time of processing/application shall apply. The user must therefore always check the suitability of the products for the intended application and obtain advance information of any changes to the product specifications at PMA/TOOLS. We would like to point out the following: In particular where our products are processed and used without observing the product specification and without complying with the current processing instructions, there will be no warranty for the processed or used product unless the customer (who processed the product) can prove that an alleged defect of the product was already present (i.e. independent of processing or use) when the risk passed from us to him as the customer. Due to the different materials, substrates and different working conditions when processing or using the product, no liability for any working results will be accepted in other regards, except where that we have provided an express assurance for a working result. We would like to point out that any such additional assurance would have to be presented and, if necessary, proved by the party relying on it, i.e. by the party asserting a warranty. In all other respects, our general terms and conditions apply.

PMA/TOOLS GmbH

Siemensring 42
47877 Willich/Germany

Tel. +49 2154 922230
Fax +49 2154 922255

info@pma-tools.com
www.pma-tools.com

Publisher	Version	Date	Page
PMA/TOOLS GmbH	1	27.02.2026	3/3